

























バルク供給可能なキラル化合物リスト

構造式	品名	CAS	備考
	D-Alanine	338-69-2	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	D-Alaninol	35320-23-1	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(R)-2-Aminobutane	13250-12-9	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1
	(S)-2-Aminobutane	513-49-5	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1
	(R)-2-Amino-1-butanol	5856-63-3	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(S)-2-Amino-1-butanol	5856-62-2	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1 Use: Ethambutol
	(R,R)-trans-2-Aminocyclopentanol Hydrochloride	68327-11-7	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(S,S)-trans-2-Aminocyclopentanol Hydrochloride	68327-04-8	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(R)-3-Aminopiperidine Dihydrochloride	334618-23-4	Chemical Purity ≥ 97% Enantiomeric Ratio ≥ 99:1 Use: Alogliptin, Linagliptin
	(S)-3-Aminopiperidine Dihydrochloride	334618-07-4	Chemical Purity ≥ 97% Enantiomeric Ratio ≥ 99:1
	(R)-1-Amino-2-propanol	2799-16-8	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99.5:0.5
	(S)-1-Amino-2-propanol	2799-17-9	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99.5:0.5

【お問い合わせ】 ナミキ商事株式会社 医薬化学品部
 Tel: 050-5527-9830 (部署直通)
 Tel: 03-3354-4065 (代表) Fax: 03-3354-3527
 mail: info@namiki-s.co.jp <https://www.namiki-s.co.jp>















バルク供給可能なキラル化合物リスト

構造式	品名	CAS	備考
	(R)-1-Aminotetraline	23357-46-2	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(S)-1-Aminotetraline	23357-52-0	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	5-[(2R)-2-Aminopropyl]-1-[3-(benzyloxy)propyl]-2,3-dihydro-1H-indole-7-carbonitrile L-tartrate	239463-85-5	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1 Use: Silodosin
	(4S,5R)-3-(N-Benzoyl)-2-(4-Anisyl)-4-phenyl-5-oxazolidin carboxylic acid	949023-16-9	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1 Use: Docetaxel, Paclitaxel
	(4S,5R)-3-(N-BOC)-2-(4-Anisyl)-4-phenyl-5-oxazolidin carboxylic acid	196404-55-4	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1 Use: Paclitaxel
	D-Arginine Hydrochloride	627-75-8	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(1R,4S)-2-Azabicyclo[2.2.1]hept-5-en-3-one [(-)-Vince Lactame]	79200-56-9	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1 Use: Abacavir, Peramivir
	(1S,4R)-2-Azabicyclo[2.2.1]hept-5-en-3-one [(+)-Vince Lactame]	1309031-83-8	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	rac-1,1'-Bi-2-naphthol	602-09-5	Chemical Purity ≥ 99% Use: BINAP
	(R)-1,1'-Bi-2-naphthol	18531-94-7	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: BINAP
	(S)-1,1'-Bi-2-naphthol	18531-99-2	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: Esomeprazole, BINAP
	rac-1,1'-Binaphthyl-2,2'-diyl-hydrogenphosphate	35193-63-6	Chemical Purity ≥ 99%

【お問い合わせ】 ナミキ商事株式会社 医薬化学品部
 Tel: 050-5527-9830 (部署直通)
 Tel: 03-3354-4065 (代表) Fax: 03-3354-3527
 mail: info@namiki-s.co.jp https://www.namiki-s.co.jp















バルク供給可能なキラル化合物リスト

構造式	品名	CAS	備考
	(R)-1,1'-Binaphthyl-2,2'-diyl-hydrogenphosphate	39648-67-4	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(S)-1,1'-Binaphthyl-2,2'-diyl-hydrogenphosphate	35193-64-7	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(2R,3R)-2,3-Butanediol	24347-58-8	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: various catalysts
	(2S,3S)-2,3-Butanediol	19132-06-0	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: various catalysts
	(R)-3-Butyn-2-ol	42969-65-3	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: Vorapaxar
	(S)-3-Butyn-2-ol	2914-69-4	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1
	(R)-2-Chloromandelic acid	52950-18-2	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: Clopidogrel
	(S)-2-Chloromandelic acid	52950-19-3	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1
	D-Cysteine Monohydrate Hydrochloride	207121-46-8	Assay 98% - 102% Enantiomeric Ratio ≥ 99:1
	cis-1,2-Diaminocyclohexane	1436-59-5	Chemical Purity ≥ 99%
	trans-1,2-Diaminocyclohexane rac	1121-22-8	Chemical Purity ≥ 99%
	(1R,2R)-1,2-Diaminocyclohexane	20439-47-8	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99,9:0,1 Use: Oxaliplatin

【お問い合わせ】 ナミキ商事株式会社 医薬化学品部
 Tel: 050-5527-9830 (部署直通)
 Tel: 03-3354-4065 (代表) Fax: 03-3354-3527
 mail: info@namiki-s.co.jp <https://www.namiki-s.co.jp>















バルク供給可能なキラル化合物リスト

構造式	品名	CAS	備考
	(1S,2S)-1,2-Diaminocyclohexane	21436-03-3	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(2S)-3-(Dimethylamino)-1-(3-methoxyphenyl)-2-methyl-1-propanone	850222-40-1	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 98:2 Use: Tapentadol
	(R)-2,2-Dimethyl-1,3-dioxolane-4-carboxylic acid methylester	52373-72-5	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(1R,2R)-1,2-Diphenylethylenediamine	35132-20-8	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(1S,2S)-1,2-Diphenylethylenediamine	29841-69-8	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(R)-Ethyl nipecotate	25137-01-3	Chemical Purity ≥ 97% Enantiomeric Ratio ≥ 99:1 Use: Tiagabine
	(S)-Ethyl nipecotate	37675-18-6	Chemical Purity ≥ 97% Enantiomeric Ratio ≥ 99:1
	(R)-6-Fluoro-3,4-dihydro-2H-1-benzopyran-2-carboxylic acid (Fluorochromanic acid)	129101-37-7	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: Nebivolol
	(S)-6-Fluoro-3,4-dihydro-2H-1-benzopyran-2-carboxylic acid (Fluorochromanic acid)	129101-36-6	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: Nebivolol
	(S)-Indoline-2-carboxylic acid	79815-20-6	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1 Use: Perindopril
	D-Malic acid	636-61-3	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: Eszopiclone
	D-Mandelic acid	611-71-2	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1 Use: separating agent

【お問い合わせ】 ナミキ商事株式会社 医薬化学品部
 Tel: 050-5527-9830 (部署直通)
 Tel: 03-3354-4065 (代表) Fax: 03-3354-3527
 mail: info@namiki-s.co.jp <https://www.namiki-s.co.jp>









バルク供給可能なキラル化合物リスト

構造式	品名	CAS	備考
	L-Mandelic acid	17199-29-0	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1 Use: separating agent
	trans-Mentha-2,8-dien-1-ol	22972-51-6	Chemical Purity ≥ 95% Enantiomeric Ratio ≥ 99:1 Use: synthetic Cannabidiol
	(R)-2-Methyl-2,4-pentanediol	99210-90-9	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(S)-2-Methyl-2,4-pentanediol	99210-91-0	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(S)-3-Methyl-1-(2-piperidine-1-yl-phenyl)-butylamine	147769-93-5	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99,5:0,5 Use: Repaglinide
	(R)-1-(1-Naphthyl)-ethylamine	3886-70-2	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1 Use: Cinacalcet
	(S)-1-(1-Naphthyl)-ethylamine	10420-89-0	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(R)-Nipecotic acid Hydrochloride	25137-00-2	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1
	(S)-Nipecotic acid Hydrochloride	851956-01-9	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1
	(R)-1-Phenylethylamine	3886-69-9	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99,5:0,5 Use: separating agent
	(S)-1-Phenylethylamine	2627-86-3	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99,5:0,5 Use: separating agent
	(2R,3S)-3-Phenylisoserine Hydrochloride	132201-32-2	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: Docetaxel, Paclitaxel

【お問い合わせ】 ナミキ商事株式会社 医薬化学品部
 Tel: 050-5527-9830 (部署直通)
 Tel: 03-3354-4065 (代表) Fax: 03-3354-3527
 mail: info@namiki-s.co.jp <https://www.namiki-s.co.jp>



バルク供給可能なキラル化合物リスト

構造式	品名	CAS	備考
	(R)-2-Tetrahydrofuroic acid	87392-05-0	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(S)-2-Tetrahydrofuroic acid	87392-07-2	Chemical Purity ≥ 98% Enantiomeric Ratio ≥ 99:1
	(R)-1,2,3,4-Tetrahydropapaverine Hydrochloride	54417-53-7	Chemical Purity ≥ 99% Enantiomeric Ratio ≥ 99:1 Use: Cisatracurium
	(1R,2R)-N-(4-Toluenesulfonyl)-1,2-diphenylethylenediamine	144222-34-4	Chemical Purity ≥ 97% Enantiomeric Ratio ≥ 99:1
	(1S,2S)-N-(4-Toluenesulfonyl)-1,2-diphenylethylenediamine	167316-27-0	Chemical Purity ≥ 97% Enantiomeric Ratio ≥ 99:1
	D-Tryptophan Hydrochloride	36760-44-8	Assay 96% - 102% Enantiomeric Ratio ≥ 99:1 Use: Tadalafil

【お問い合わせ】 ナミキ商事株式会社 医薬化学品部
 Tel: 050-5527-9830 (部署直通)
 Tel: 03-3354-4065 (代表) Fax: 03-3354-3527
 mail: info@namiki-s.co.jp <https://www.namiki-s.co.jp>

