


Novel fluorinated amines for drug discovery

Mykhailiuk, P.; Bossert, M.; Yarmolchuk, V.; Shcherbatiuk, A.; Artamonov, A.; Pervak, I.; Slobodyanyuk, E.; Kondratov, I.; Iminov, R.; Logvinenko, V.; Levchenko, K.; Datsenko, O.; Chalyk, B.; Kubyskin, V.; Gryshuk, O.; Tkachenko, A.; Radchenko, D.; Gavrilenko, K.; Trofymchuk, S.; Tolmachev, A.

Introduction


Around 20% of all modern drugs and agrochemicals contain fluorine atom(s).¹ Fluorinated amines are extremely popular in drug discovery, however, their structural diversity is very low.




Aim

To design and synthesize novel fluorinated amines for drug discovery and agrochemistry.²⁻⁸

Synthesis



Results



Contact

Pavel Mykhailiuk, PhD
Pavel.Mykhailiuk@mail.enamine.net

Enamine Ltd, www.enamine.net
78 Chervonotkatska St, 02660 Kyiv, Ukraine

References

- Hagmann, W. J. *Med. Chem.* **2008**, 4360.
- Yarmolchuk, V. et al. *Eur. J. Org. Chem.* **2013**, 3086.
- Scherbatiuk, A. et al. *Tetrahedron* **2013**, 3796.
- Artamonov, A. et al. *Synthesis* **2013**, 225.
- Radchenko, D. et al. *Tetrahedron Lett.* **2013**, 1897.
- Artamonov, A. et al. *Eur. J. Org. Chem.* **2014**, 3592.
- Kubyskin, V. et al. *J. Fluorine Chem.* **2015**, 73–83.
- Levchenko, K. et al. *manuscript in preparation.*