






SL-52. Purine-based Nucleosides-2

The enzyme co-factor SAM/SAH is found in all branches of life, widely exploited by protein methyltransferases for the transfer of a methyl group to various molecules of biological significance. A number of these enzymes are drug targets in the field of epigenetics [1].

There is also wide-ranging interest in SAM/SAH-dependent enzymes beyond epigenetics as SAM/SAH plays an important role in many research areas: anti-bacterials, anti-virals, anti-parasitics, oncology (which includes both epigenetic and non-epigenetic mechanisms), agrochemicals, and industrial chemical processing.

Compounds targeting the SAM/SAH site of these enzymes offer great potential yet very few such molecules are currently described in literature or commercially available in compound collections.

To meet this market need, we have used a modular approach to synthesize a library of purine-based nucleosides. The main challenge was to develop stereo- and enantio-selective methods for the synthesis of nucleotide-like cores which both mimic adenosine and are metabolically stable.

 <p style="text-align: center;">SAH</p>	 <p style="text-align: center;">SAM</p>	<p>Combination of <u>proprietary glycomimetic cores</u> and <u>nucleobases decorated with amino acid fragments</u></p>
		

Signature Library 52

Formats	Supplementary Information
80 compounds per plate 0.1 mg; 1 mg; 2 mg dry film/powder 0.1 µmol; 1 µmol DMSO solutions	SL#52_Purines-2.sdf

References:

1. *ACS Chem Biol.* 2012 Mar 16;7(3):443-63. doi: 10.1021/cb200519y.

Contact us:

USA: +1 336 721 1617
 Japan: +81-80-3401-9097
 Europe/Global:

mparisi@asinex.com
sota@asinex.com
lsadovenko@asinex.com