

Catalog

2019

Strong Chiral Technologies










Development & Supply of Unique Chiral Scaffolds






Combinatorial Library Synthesis

Custom Building Blocks

WWW.CHIRALIX.COM

AMINO ACIDS

Catalog No.	Description	Structure	Available Unit Sizes
CX90418	L-allysine ethylene acetal, 99% (S)-2-amino-5-(1,3-dioxolan-2-yl)-pentanoic acid $C_8H_{15}NO_4$ MW 189.21		1 g 2 g 5 g
CX90138	L-homopropargylglycine, >98% (S)-2-amino-5-ynoic acid $C_6H_9NO_2$ MW 127.14		200 mg 500 mg 1 g
CX60325	D-homopropargylglycine, >98% (R)-2-amino-5-ynoic acid $C_6H_9NO_2$ MW 127.14		200 mg 500 mg 1 g
CX94894	L-bishomopropargylglycine, >98% (S)-2-aminohept-6-ynoic acid $C_7H_{11}NO_2$ MW 141.17		200 mg 500 mg 1 g
CX32424	D-bishomopropargylglycine, >98% (R)-2-aminohept-6-ynoic acid $C_7H_{11}NO_2$ MW 141.17		200 mg 500 mg 1 g
CX93851	(2S,5R)-5-hydroxypipercolic acid hydrochloride, >98% (2S,5R)-5-hydroxypiperidine-2-carboxylic acid hydrochloride $C_6H_{12}ClNO_3$ MW 181.62		100 mg 500 mg 1 g
CX54776	(S)-4-oxopipercolic acid ethylene acetal, >98% (S)-1,4-dioxo-8-azaspiro[4.5]decane-7-carboxylic acid $C_8H_{13}NO_4$ MW 187.19		200 mg 500 mg 1 g
CX44848	(R)-4-oxopipercolic acid ethylene acetal, >98% (R)-1,4-dioxo-8-azaspiro[4.5]decane-7-carboxylic acid $C_8H_{13}NO_4$ MW 187.19		200 mg 500 mg 1 g
CX81456	(S)-5-oxopipercolic acid ethylene acetal, >98% (S)-1,4-dioxo-7-azaspiro[4.5]decane-8-carboxylic acid $C_8H_{13}NO_4$ MW 187.19		200 mg 500 mg 1 g

CX24022	(5 <i>S</i> ,6 <i>S</i>)-6-amino-5-hydroxycyclohexa-1,3-dienecarboxylic acid, >98% C ₇ H ₉ NO ₃ MW 155.15		500 mg 1 g
CX41399	(<i>S</i>)-β3-phenylalanine, 99% (<i>S</i>)-3-amino-3-phenylpropanoic acid C ₉ H ₁₁ NO ₂ MW 165.19		1 g 2 g 5 g
CX97471	(<i>S</i>)-α-methyl-phenylglycine, >98% (<i>S</i>)-2-amino-2-phenylpropanoic acid C ₉ H ₁₁ NO ₂ MW 165.19		500 mg 1 g 2 g
CX45124	(<i>R</i>)-α-methyl-phenylglycine, >98% (<i>R</i>)-2-amino-2-phenylpropanoic acid C ₉ H ₁₁ NO ₂ MW 165.19		500 mg 1 g 2 g
CX64691	D- <i>tert</i> -leucine, 99% (<i>R</i>)-2-amino-3,3-dimethylbutyric acid C ₆ H ₁₃ NO ₂ MW 131.17		1 g 2 g 5 g

N-BOC AMINO ACIDS








Catalog No.	Description	Structure	Available Unit Sizes
CX96388	Boc-L-allysine ethylene acetal, >98% (<i>S</i>)-2-(<i>tert</i> -butoxycarbonylamino)-5-(1,3-dioxolan-2-yl)pentanoic acid C ₁₃ H ₂₃ NO ₆ MW 289.32		1 g 2 g 5 g
CX44656	Boc-L-homopropargylglycine, >98% (<i>S</i>)-2-(<i>tert</i> -butoxycarbonylamino)hex-5-ynoic acid C ₁₁ H ₁₇ NO ₄ MW 227.26		500 mg 1 g
CX54783	Boc-D-homopropargylglycine, >98% (<i>R</i>)-2-(<i>tert</i> -butoxycarbonylamino)hex-5-ynoic acid C ₁₁ H ₁₇ NO ₄ MW 227.26		500 mg 1 g
CX59796	Boc-L-bishomopropargylglycine CHA salt, >98% cyclohexanaminium (<i>S</i>)-2-(<i>tert</i> -butoxycarbonylamino)hept-6-ynoate C ₁₈ H ₃₂ N ₂ O ₄ MW 340.46		500 mg 1 g
CX19691	Boc-D-bishomopropargylglycine CHA salt, >98% cyclohexanaminium (<i>R</i>)-2-(<i>tert</i> -butoxycarbonylamino)hept-6-ynoate C ₁₈ H ₃₂ N ₂ O ₄ MW 340.46		500 mg 1 g
CX52977	(<i>S</i>)-Boc-β3-phenylalanine, >98% (<i>S</i>)-3-(<i>tert</i> -butoxycarbonylamino)-3-phenylpropanoic acid C ₁₄ H ₁₉ NO ₄ MW 265.30		1 g 2 g 5 g
CX28901	(<i>S</i>)-Boc-α-methyl-phenylglycine, >98% (<i>S</i>)-2-(<i>tert</i> -butoxycarbonylamino)-2-phenylpropanoic acid C ₁₄ H ₁₉ NO ₄ MW 265.30		1 g 2 g
CX44048	Boc-D- <i>tert</i> -leucine, >98% (<i>R</i>)-2-(<i>tert</i> -butoxycarbonylamino)-3,3-dimethylbutanoic acid C ₁₁ H ₂₁ NO ₄ MW 231.29		1 g 2 g 5 g


N-CBZ AMINO ACIDS

Catalog No.	Description	Structure	Available Unit Sizes
CX42388	Cbz-L-allysine ethylene acetal, >98% (S)-2-(benzyloxycarbonylamino)-5-(1,3-dioxolan-2-yl)pentanoic acid C ₁₆ H ₂₁ NO ₆ MW 323.34		1 g 2 g 5 g
CX69013	Cbz-L-homopropargylglycine, >98% (S)-2-(benzyloxycarbonylamino)hex-5-ynoic acid C ₁₄ H ₁₅ NO ₄ MW 261.27		500 mg 1 g
CX14845	Cbz-D-homopropargylglycine, >98% (R)-2-(benzyloxycarbonylamino)hex-5-ynoic acid C ₁₄ H ₁₅ NO ₄ MW 261.27		500 mg 1 g
CX16129	Cbz-L-bishomopropargylglycine CHA salt, >98% cyclohexanaminium (S)-2-(benzyloxycarbonylamino)hept-6-ynoate C ₂₁ H ₃₀ N ₂ O ₄ MW 374.47		500 mg 1 g
CX19587	Cbz-D-bishomopropargylglycine CHA salt, >98% cyclohexanaminium (R)-2-(benzyloxycarbonylamino)hept-6-ynoate C ₂₁ H ₃₀ N ₂ O ₄ MW 374.47		500 mg 1 g
CX79659	(S)-Cbz-β3-phenylalanine, >98% (S)-3-(benzyloxycarbonylamino)-3-phenylpropanoic acid C ₁₇ H ₁₇ NO ₄ MW 299.32		1 g 2 g 5 g
CX65817	(S)-Cbz-α-methyl-phenylglycine CHA salt, >98% cyclohexanaminium (S)-2-(benzyloxycarbonylamino)-2-phenylpropanoate C ₂₃ H ₃₀ N ₂ O ₄ MW 398.50		1 g 2 g
CX32015	Cbz-D-tert-leucine CHA salt, >98% cyclohexanaminium (R)-2-(benzyloxycarbonylamino)-3,3-dimethylbutanoate C ₂₀ H ₃₂ N ₂ O ₄ MW 364.48		1 g 2 g 5 g

N-FMOC AMINO ACIDS









Catalog No.	Description	Structure	Available Unit Sizes
CX38605	Fmoc-L-allysine ethylene acetal, >97% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)-5-(1,3-dioxolan-2-yl)pentanoic acid C ₂₃ H ₂₅ NO ₆ MW 411.45		1 g 2 g
CX80065	Fmoc-L-homopropargylglycine, >97% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)hex-5-ynoic acid C ₂₁ H ₁₉ NO ₄ MW 349.38		500 mg 1 g
CX87818	Fmoc-D-homopropargylglycine, >97% (R)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)hex-5-ynoic acid C ₂₁ H ₁₉ NO ₄ MW 349.38		500 mg 1 g
CX57816	Fmoc-L-bishomopropargylglycine, >97% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)hept-6-ynoic acid C ₂₂ H ₂₁ NO ₄ MW 363.41		500 mg 1 g
CX80846	Fmoc-D-bishomopropargylglycine, >97% (R)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)hept-6-ynoic acid C ₂₂ H ₂₁ NO ₄ MW 363.41		500 mg 1 g
CX29693	Fmoc-L-cyclohexylglycine, >98% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)-2-cyclohexylacetic acid C ₂₃ H ₂₅ NO ₄ MW 379.45		10 g 25 g
CX93797	Fmoc-D-cyclohexylglycine, >98% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)-2-cyclohexylacetic acid C ₂₃ H ₂₅ NO ₄ MW 379.45		10 g 25 g

CX93005	Fmoc-L-azidoalanine, >98% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)-3-azidopropanoic acid $C_{18}H_{16}N_4O_4$ MW 352.34		1 g 5 g
CX59650	Fmoc-L-azidohomoalanine, >98% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)-4-azidobutanoic acid $C_{19}H_{18}N_4O_4$ MW 366.37		1 g 5 g
CX25404	Fmoc-L-azidoornithine, >98% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)-5-azidopentanoic acid $C_{20}H_{20}N_4O_4$ MW 380.40		1 g 5 g
CX81118	Fmoc-L-azidolysine, >98% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)-6-azidohexanoic acid $C_{21}H_{22}N_4O_4$ MW 394.42		1 g 5 g
CX56872	(S)-Fmoc-β3-phenylalanine, >98% (S)-3-(((9H-fluoren-9-yl)methoxy)carbonylamino)-3-phenylpropanoic acid $C_{24}H_{21}NO_4$ MW 387.43		1 g 2 g 5 g
CX28344	(S)-Fmoc-α-methyl-phenylglycine, >98% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)-2-phenylpropanoic acid $C_{24}H_{21}NO_4$ MW 387.43		1 g 2 g
CX79723	(R)-Fmoc-α-methyl-phenylglycine, >98% (R)-2-(((9H-fluoren-9-yl)methoxy)carbonylamino)-2-phenylpropanoic acid $C_{24}H_{21}NO_4$ MW 387.43		1 g 2 g












CX22855	Fmoc-D- <i>tert</i> -leucine, >97% (<i>R</i>)-2-(((9 <i>H</i> -fluoren-9-yl)methoxy)carbonylamino)- 3,3-dimethylbutanoic acid C ₂₁ H ₂₃ NO ₄ MW 353.41	 <p>The chemical structure shows a fluorenylmethyloxycarbonyl (Fmoc) group attached to the nitrogen of a 3,3-dimethylbutanoic acid derivative. The fluorenyl group is a tricyclic system consisting of a benzene ring fused to a five-membered ring, which is further fused to another benzene ring. The carbonyl group of the Fmoc is linked via an oxygen atom to a methylene group, which is in turn linked to the nitrogen of the amino acid. The amino acid part consists of a central chiral carbon bonded to a hydrogen atom (shown with a dashed bond), a hydroxyl group (shown with a solid wedge), and a tert-butyl group (shown with a solid wedge).</p>	1 g 2 g 5 g
----------------	---	---	-------------------










AZIDO AMINO ACIDS






Catalog No.	Description	Structure	Available Unit Sizes
CX69359	4-azidobutyric acid, >98% 4-azidobutanoic acid $C_4H_7N_3O_2$ MW 129.12		5 g 10 g
CX31309	5-azidovaleric acid, >98% 5-azidopentanoic acid $C_5H_9N_3O_2$ MW 143.14		5 g 10 g
CX40608	6-azidohexanoic acid, >98% $C_6H_{11}N_3O_2$ MW 157.17		5 g 10 g
CX98490	7-azidoheptanoic acid, >98% $C_7H_{13}N_3O_2$ MW 171.20		5 g 10 g
CX62483	2-(azidomethyl)benzoic acid, - $C_8H_7N_3O_2$ MW 177.16		1 g 2 g 5 g
CX80461	3-(azidomethyl)benzoic acid, - $C_8H_7N_3O_2$ MW 177.16		1 g 2 g 5 g
CX18112	4-(azidomethyl)benzoic acid, - $C_8H_7N_3O_2$ MW 177.16		1 g 5 g 10 g
CX32182	L-azidoalanine CHA salt, >98% cyclohexanaminium (S)-2-azidopropanoate $C_9H_{18}N_4O_2$ MW 214.26		1 g 5 g
CX44158	D-azidoalanine CHA salt, >98% cyclohexanaminium (R)-2-azidopropanoate $C_9H_{18}N_4O_2$ MW 214.26		1 g 5 g
CX78942	L-azidoallylglycine CHA salt, >98% cyclohexanaminium (S)-2-azidopent-4-enoate $C_{11}H_{20}N_4O_2$ MW 240.30		1 g 5 g
CX61332	D-azidoallylglycine CHA salt, >98% cyclohexanaminium (R)-2-azidopent-4-enoate $C_{11}H_{20}N_4O_2$ MW 240.30		1 g 2 g

CX56925	Ng-Pmc-L-azidoarginine, >95% (S)-2-azido-5-(3-(2,2,5,7,8-pentamethylchroman-6-ylsulfonyl)guanidino)pentanoic acid C ₂₀ H ₃₀ N ₆ O ₅ S MW 466.55		1 g 5 g
CX94556	L-azidoasparagine DCHA salt, >98% dicyclohexylammonium (S)-4-amino-2-azido-4-oxobutanoate C ₁₆ H ₂₉ N ₅ O ₃ MW 339.43		1 g 5 g
CX83100	D-azidoasparagine DCHA salt, >98% dicyclohexylammonium (R)-4-amino-2-azido-4-oxobutanoate C ₁₆ H ₂₉ N ₅ O ₃ MW 339.43		1 g 5 g
CX20625	L-azidoaspartic acid mono-tert-butyl ester CHA salt, >98% cyclohexanaminium (S)-2-azido-4-tert-butoxy-4-oxobutanoate C ₁₄ H ₂₆ N ₄ O ₄ MW 314.38		1 g 5 g
CX72798	D-azidoaspartic acid mono-tert-butyl ester CHA salt, >98% cyclohexanaminium (R)-2-azido-4-tert-butoxy-4-oxobutanoate C ₁₄ H ₂₆ N ₄ O ₄ MW 314.38		1 g 5 g
CX71813	S-Trityl-L-azidocysteine CHA salt, >98% cyclohexanaminium (R)-2-azido-3-(tritylthio)propanoate C ₂₈ H ₃₂ N ₄ O ₂ S MW 488.64		1 g 5 g
CX24163	L-azidoglutamic acid mono-tert-butyl ester CHA salt, >98% cyclohexanaminium (S)-2-azido-5-tert-butoxy-5-oxopentanoate C ₁₅ H ₂₈ N ₄ O ₄ MW 328.41		1 g 5 g
CX93516	D-azidoglutamic acid mono-tert-butyl ester CHA salt, >98% cyclohexanaminium (R)-2-azido-5-tert-butoxy-5-oxopentanoate C ₁₅ H ₂₈ N ₄ O ₄ MW 328.41		1 g 5 g

CX57717	L-azidoglutamine DCHA salt, >98% dicyclohexylammonium (S)-5-amino-2-azido-5-oxopentanoate C ₁₇ H ₃₁ N ₅ O ₃ MW 353.46		1 g 5 g
CX79807	D-azidoglutamine DCHA salt, >98% dicyclohexylammonium (R)-5-amino-2-azido-5-oxopentanoate C ₁₇ H ₃₁ N ₅ O ₃ MW 353.46		1 g 5 g
CX93426	N-im-trityl-L-azidohistidine CHA salt, >98% cyclohexanaminium (S)-2-azido-3-(1-trityl-1H-imidazol-4-yl)propanoate C ₃₁ H ₃₄ N ₆ O ₂ MW 522.64		1 g 5 g
CX37236	L-azidoisoleucine CHA salt, >98% cyclohexanaminium (2S,3S)-2-azido-3-methylpentanoate C ₁₂ H ₂₄ N ₄ O ₂ MW 256.34		1 g 5 g
CX53333	D-azidoisoleucine CHA salt, >98% cyclohexanaminium (2R,3R)-2-azido-3-methylpentanoate C ₁₂ H ₂₄ N ₄ O ₂ MW 256.34		1 g 2 g
CX43844	L-azido-leucine CHA salt, >98% cyclohexanaminium (S)-2-azido-4-methylpentanoate C ₁₂ H ₂₄ N ₄ O ₂ MW 256.34		1 g 5 g
CX76762	D-azido-leucine CHA salt, >98% cyclohexanaminium (R)-2-azido-4-methylpentanoate C ₁₂ H ₂₄ N ₄ O ₂ MW 256.34		1 g 5 g
CX78063	L-azido-tert-leucine CHA salt, >98% cyclohexanaminium (S)-2-azido-3,3-dimethylbutanoate C ₁₂ H ₂₄ N ₄ O ₂ MW 256.34		1 g 5 g
CX30547	D-azido-tert-leucine CHA salt, >98% cyclohexanaminium (R)-2-azido-3,3-dimethylbutanoate C ₁₂ H ₂₄ N ₄ O ₂ MW 256.34		1 g 5 g
CX84940	L-azidomethionine CHA salt, >98% cyclohexanaminium (S)-2-azido-4-(methylthio)butanoate C ₁₁ H ₂₂ N ₄ O ₂ S MW 274.38		1 g 5 g

CX56656	D-azidomethionine CHA salt, >98% cyclohexanaminium (<i>R</i>)-2-azido-4- (methylthio)butanoate C ₁₁ H ₂₂ N ₄ O ₂ S MW 274.38		1 g 5 g
CX33085	L-azidophenylalanine CHA salt, >98% cyclohexanaminium (<i>S</i>)-2-azido-3- phenylpropanoate C ₁₅ H ₂₂ N ₄ O ₂ MW 290.36		1 g 5 g
CX27954	D-azidophenylalanine CHA salt, >98% cyclohexanaminium (<i>R</i>)-2-azido-3- phenylpropanoate C ₁₅ H ₂₂ N ₄ O ₂ MW 290.36		1 g 5 g
CX22361	(<i>S</i>)-azido- α -methyl-phenylglycine CHA salt, >98% cyclohexanaminium (<i>S</i>)-2-azido-2- phenylpropanoate C ₁₅ H ₂₂ N ₄ O ₂ MW 290.36		1 g 2 g
CX52265	(<i>R</i>)-azido- α -methylphenylglycine CHA salt, >98% cyclohexanaminium (<i>R</i>)-2-azido-2- phenylpropanoate C ₁₅ H ₂₂ N ₄ O ₂ MW 290.36		1 g 2 g
CX59871	L-azidoserine CHA salt, >98% cyclohexanaminium (<i>S</i>)-2-azido-3- hydroxypropanoate C ₉ H ₁₈ N ₄ O ₃ MW 230.26		1 g 5 g
CX95405	D-azidoserine CHA salt, >98% cyclohexanaminium (<i>R</i>)-2-azido-3- hydroxypropanoate C ₉ H ₁₈ N ₄ O ₃ MW 230.26		1 g 5 g
CX55921	L-azidoserine <i>tert</i> -butyl ether CHA salt, >98% cyclohexanaminium (<i>S</i>)-2-azido-3- <i>tert</i> - butoxypropanoate C ₁₃ H ₂₆ N ₄ O ₃ MW 286.37		1 g 5 g
CX13425	D-azidoserine <i>tert</i> -butyl ether CHA salt, >98% cyclohexanaminium (<i>R</i>)-2-azido-3- <i>tert</i> - butoxypropanoate C ₁₃ H ₂₆ N ₄ O ₃ MW 286.37		1 g 5 g
CX85233	L-azidothreonine CHA salt, >98% cyclohexanaminium (2 <i>S</i> ,3 <i>R</i>)-2-azido-3- hydroxybutanoate C ₁₀ H ₂₀ N ₄ O ₃ MW 244.29		1 g 5 g
CX37313	D-azidothreonine CHA salt, >98% cyclohexanaminium (2 <i>R</i> ,3 <i>S</i>)-2-azido-3- hydroxybutanoate C ₁₀ H ₂₀ N ₄ O ₃ MW 244.29		1 g 5 g

CX80632	L-azidothreonine <i>tert</i> -butyl ether CHA salt, >98% cyclohexanaminium (2 <i>S</i> ,3 <i>R</i>)-2-azido-3- <i>tert</i> - butoxybutanoate C ₁₄ H ₂₈ N ₄ O ₃ MW 300.40		1 g 5 g
CX29937	D-azidothreonine <i>tert</i> -butyl ether CHA salt, >98% cyclohexanaminium (2 <i>R</i> ,3 <i>S</i>)-2-azido-3- <i>tert</i> - butoxybutanoate C ₁₄ H ₂₈ N ₄ O ₃ MW 300.40		1 g 5 g
CX90285	L-azidotryptophan CHA salt, >98% cyclohexanaminium (<i>S</i>)-2-azido-3-(1 <i>H</i> -indol-2- yl)propanoate C ₁₇ H ₂₃ N ₅ O ₂ MW 329.40		1 g 5 g
CX48141	D-azidotryptophan CHA salt, >98% cyclohexanaminium (<i>R</i>)-2-azido-3-(1 <i>H</i> -indol-2- yl)propanoate C ₁₇ H ₂₃ N ₅ O ₂ MW 329.40		1 g 5 g
CX81236	L-azidotyrosine CHA salt, >97% cyclohexanaminium (<i>S</i>)-2-azido-3-(4- hydroxyphenyl)propanoate C ₁₅ H ₂₂ N ₄ O ₃ MW 306.36		1 g 5 g
CX24279	D-azidotyrosine CHA salt, >98% cyclohexanaminium (<i>R</i>)-2-azido-3-(4- hydroxyphenyl)propanoate C ₁₅ H ₂₂ N ₄ O ₃ MW 306.36		1 g 5 g
CX68680	L-azidotyrosine <i>tert</i> -butyl ether CHA salt, >98% cyclohexanaminium (<i>S</i>)-2-azido-3-(4- <i>tert</i> - butoxyphenyl)propanoate C ₁₉ H ₃₀ N ₄ O ₃ MW 362.47		1 g 5 g
CX83245	D-azidotyrosine <i>tert</i> -butyl ether CHA salt, >98% cyclohexanaminium (<i>R</i>)-2-azido-3-(4- <i>tert</i> - butoxyphenyl)propanoate C ₁₉ H ₃₀ N ₄ O ₃ MW 362.47		1 g 5 g
CX66793	L-azidovaline CHA salt, >98% cyclohexanaminium (<i>S</i>)-2-azido-3-methylbutanoate C ₁₁ H ₂₂ N ₄ O ₂ MW 242.32		1 g 5 g

CX46058	D-azidovaline CHA salt, >98% cyclohexanaminium (<i>R</i>)-2-azido-3-methylbutanoate C ₁₁ H ₂₂ N ₄ O ₂ MW 242.32		1 g 5 g
CX93005	Fmoc-L-azidoalanine, >98% (<i>S</i>)-2-(((9 <i>H</i> -fluoren-9-yl)methoxy)carbonylamino)-3-azidopropanoic acid C ₁₈ H ₁₆ N ₄ O ₄ MW 352.34		1 g 5 g
CX59650	Fmoc-L-azidohomoalanine, >98% (<i>S</i>)-2-(((9 <i>H</i> -fluoren-9-yl)methoxy)carbonylamino)-4-azidobutanoic acid C ₁₉ H ₁₈ N ₄ O ₄ MW 366.37		1 g 5 g
CX25404	Fmoc-L-azidoornithine, >98% (<i>S</i>)-2-(((9 <i>H</i> -fluoren-9-yl)methoxy)carbonylamino)-5-azidopentanoic acid C ₂₀ H ₂₀ N ₄ O ₄ MW 380.40		1 g 5 g
CX81118	Fmoc-L-azidolysine, >98% (<i>S</i>)-2-(((9 <i>H</i> -fluoren-9-yl)methoxy)carbonylamino)-6-azidohexanoic acid C ₂₁ H ₂₂ N ₄ O ₄ MW 394.42		1 g 5 g

BETA AMINO ACIDS






Catalog No.	Description	Structure	Available Unit Sizes
CX61074	(<i>S</i>)-β2-homoalanine HCl salt, >98% (<i>S</i>)-3-amino-2-methylpropanoic acid hydrochloride C ₄ H ₁₀ ClNO ₂ MW 139.58	HCl	200 mg 500 mg 1 g
CX39389	(<i>R</i>)-β2-homoalanine HCl salt, >98% (<i>R</i>)-3-amino-2-methylpropanoic acid hydrochloride C ₄ H ₁₀ ClNO ₂ MW 139.58	HCl	200 mg 500 mg 1 g
CX92224	(<i>S</i>)-β2-homoleucine HCl salt, >98% (<i>S</i>)-2-(aminomethyl)-4-methylpentanoic acid hydrochloride C ₇ H ₁₆ ClNO ₂ MW 181.66	HCl	200 mg 500 mg 1 g
CX80391	(<i>R</i>)-β2-homoleucine HCl salt, >98% (<i>R</i>)-2-(aminomethyl)-4-methylpentanoic acid hydrochloride C ₇ H ₁₆ ClNO ₂ MW 181.66	HCl	200 mg 500 mg 1 g
CX42450	(<i>S</i>)-β2-homophenylalanine HCl salt, >98% (<i>S</i>)-3-amino-2-benzylpropanoic acid hydrochloride C ₁₀ H ₁₄ ClNO ₂ MW 215.68	HCl	200 mg 500 mg 1 g
CX11583	(<i>R</i>)-β2-homophenylalanine HCl salt, >98% (<i>R</i>)-3-amino-2-benzylpropanoic acid hydrochloride C ₁₀ H ₁₄ ClNO ₂ MW 215.68	HCl	200 mg 500 mg 1 g
CX35419	(<i>S</i>)-β2-homovaline HCl salt, >98% (<i>S</i>)-2-(aminomethyl)-3-methylbutanoic acid hydrochloride C ₆ H ₁₄ ClNO ₂ MW 167.63	HCl	200 mg 500 mg 1 g
CX82876	(<i>R</i>)-β2-homovaline HCl salt, >98% (<i>R</i>)-2-(aminomethyl)-3-methylbutanoic acid hydrochloride C ₆ H ₁₄ ClNO ₂ MW 167.63	HCl	200 mg 500 mg 1 g

N-FMOC BETA AMINO ACIDS

Catalog No.	Description	Structure	Available Unit Sizes
CX81018	(S)-Fmoc-β2-homoalanine, >98% (S)-3-(((9H-fluoren-9-yl)methoxy)carbonyl)amino)-2-methylpropanoic acid C ₁₉ H ₁₉ NO ₄ MW 325.36		500 mg 1 g
CX85919	(R)-Fmoc-β2-homoalanine, >98% (R)-3-(((9H-fluoren-9-yl)methoxy)carbonyl)amino)-2-methylpropanoic acid C ₁₉ H ₁₉ NO ₄ MW 325.36		500 mg 1 g
CX30199	(S)-Fmoc-β2-homoleucine, >98% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonyl)amino)methyl)-4-methylpentanoic acid C ₂₂ H ₂₅ NO ₄ MW 367.44		500 mg 1 g
CX98774	(R)-Fmoc-β2-homoleucine, >98% (R)-2-(((9H-fluoren-9-yl)methoxy)carbonyl)amino)methyl)-4-methylpentanoic acid C ₂₂ H ₂₅ NO ₄ MW 367.44		500 mg 1 g
CX82946	(S)-Fmoc-β2-homophenylalanine, >98% (S)-3-(((9H-fluoren-9-yl)methoxy)carbonyl)amino)-2-benzylpropanoic acid C ₂₅ H ₂₃ NO ₄ MW 401.45		500 mg 1 g
CX15046	(R)-Fmoc-β2-homophenylalanine, >98% (R)-3-(((9H-fluoren-9-yl)methoxy)carbonyl)amino)-2-benzylpropanoic acid C ₂₅ H ₂₃ NO ₄ MW 401.45		500 mg 1 g
CX86231	(S)-Fmoc-β2-homovaline, >98% (S)-2-(((9H-fluoren-9-yl)methoxy)carbonyl)amino)methyl)-3-methylbutanoic acid C ₂₁ H ₂₃ NO ₄ MW 353.41		500 mg 1 g
CX33604	(R)-Fmoc-β2-homovaline, >98% (R)-2-(((9H-fluoren-9-yl)methoxy)carbonyl)amino)methyl)-3-methylbutanoic acid C ₂₁ H ₂₃ NO ₄ MW 353.41		500 mg 1 g






CHROMO- & FLUOROGENIC AMINO ACIDS

Catalog No.	Description	Structure	Available Unit Sizes
CX28021	H-Arg(Boc)2-pNA, >97% (<i>S,E</i>)- <i>tert</i> -butyl (4-amino-5-(4-nitrophenylamino)-5-oxopentylamino) (<i>tert</i> -butoxycarbonylamino)methylenecarbamate $C_{22}H_{34}N_6O_7$ MW 494.54		500 mg 1 g
CX45120	H-Orn(Boc)-pNA, >98% (<i>S</i>)- <i>tert</i> -butyl (4-amino-5-((4-nitrophenyl)amino)-5-oxopentyl)carbamate $C_{16}H_{24}N_4O_5$ MW 352.39		1 g 2 g 5 g
CX64158	Fmoc-Orn-pNA · HCl, >98% (<i>S</i>)-(9 <i>H</i> -fluoren-9-yl)methyl (5-amino-1-((4-nitrophenyl)amino)-1-oxopentan-2-yl)carbamate hydrochloride $C_{26}H_{27}ClN_4O_5$ MW 510.97		1 g 2 g 5 g
CX55361	H-Arg(Boc)2-AMC, >97% $C_{26}H_{37}N_5O_7$ MW 531.60		500 mg 1 g
CX59077	H-Orn(Boc)-AMC, >98% (<i>S</i>)- <i>tert</i> -butyl (4-amino-5-((4-methyl-2-oxo-2 <i>H</i> -chromen-7-yl)amino)-5-oxopentyl)carbamate $C_{20}H_{27}N_3O_5$ MW 389.45		1 g 2 g 5 g




CX18326	Fmoc-Orn-AMC · HCl, >98% (S)-(9H-fluoren-9-yl)methyl (5-amino-1-((4-methyl-2-oxo-2H-chromen-7-yl)amino)-1-oxopentan-2-yl)carbamate hydrochloride $C_{30}H_{30}ClN_3O_5$ MW 548.03		1 g 2 g 5 g
CX48623	H-Lys(Boc)-AMC, >98% (S)-tert-butyl (5-amino-6-((4-methyl-2-oxo-2H-chromen-7-yl)amino)-6-oxohexyl)carbamate $C_{21}H_{29}N_3O_5$ MW 403.47		1 g 2 g 5 g
CX84944	Fmoc-Lys-AMC · HCl, >98% (S)-(9H-fluoren-9-yl)methyl (6-amino-1-((4-methyl-2-oxo-2H-chromen-7-yl)amino)-1-oxohexan-2-yl)carbamate hydrochloride $C_{31}H_{32}ClN_3O_5$ MW 562.06		1 g 2 g 5 g
CX67830	Bis(H-Arg(Boc)2)-rhodamine 110, >95% Bis(H-Arg(Boc)2)-rhodamine $C_{52}H_{70}N_{10}O_{13}$ MW 1043.17		250 mg 500 mg 1 g
CX80044	Bis(H-Orn(Boc))-rhodamine 110, >95% Bis(H-Orn(Boc))-rhodamine $C_{40}H_{50}N_6O_9$ MW 758.86		250 mg 500 mg 1 g


AMINO ALCOHOLS & DERIVATIVES

Catalog No.	Description	Structure	Available Unit Sizes
CX72471	2-deoxystreptamine dihydrobromide, >98% 4t,6t-diaminocyclohexane-1r,2t,3c-triol dihydrobromide C ₆ H ₁₆ Br ₂ N ₂ O ₃ MW 324.01		500 mg 1 g 2 g
CX90286	bis(<i>N</i> -diazido)-tris(<i>O</i> -acetyl)-2-deoxystreptamine, >98% 4t,6t-diazidocyclohexane-1r,2t,3c-triyl triacetate C ₁₂ H ₁₆ N ₆ O ₆ MW 340.29		200 mg 500 mg 1 g
CX69324	bis(<i>N</i> -Boc)-2-deoxystreptamine, >95% <i>tert</i> -butyl (1 <i>R</i> ,3 <i>S</i> ,4 <i>R</i> ,5 <i>r</i> ,6 <i>S</i>)-4,5,6-trihydroxycyclohexane-1,3-diyldicarbamate C ₁₆ H ₃₀ N ₂ O ₇ MW 362.42		500 mg 1 g
CX80916	bis(<i>N</i> -Cbz)-2-deoxystreptamine, >95% benzyl 4,5,6-trihydroxycyclohexane-1,3-diyldicarbamate C ₂₂ H ₂₆ N ₂ O ₇ MW 430.45		500 mg 1 g
CX62577	6,8a-diepi-castanospermine, >98% (1 <i>S</i> ,6 <i>R</i> ,7 <i>R</i> ,8 <i>R</i> ,8a <i>S</i>)-octahydroindolizine-1,6,7,8-tetraol C ₈ H ₁₅ NO ₄ MW 189.21		10 mg 50 mg
CX58692	(<i>S</i>)-allylglycinol hydrochloride, >98% (<i>S</i>)-2-aminopent-4-en-1-ol hydrochloride C ₅ H ₁₂ ClNO MW 137.61		1 g 2 g
CX78500	(<i>R</i>)-allylglycinol hydrochloride, >98% (<i>R</i>)-2-aminopent-4-en-1-ol hydrochloride C ₅ H ₁₂ ClNO MW 137.61		1 g 2 g
CX40529	(<i>S</i>)-propargylglycinol hydrochloride, >98% (<i>S</i>)-2-aminopent-4-yn-1-ol hydrochloride C ₅ H ₁₀ ClNO MW 135.59		1 g 2 g
CX13745	(<i>R</i>)-propargylglycinol hydrochloride, >98% (<i>R</i>)-2-aminopent-4-yn-1-ol hydrochloride C ₅ H ₁₀ ClNO MW 135.59		1 g 2 g
CX76358	(<i>S</i>)-homopropargylglycinol hydrochloride, >98% (<i>S</i>)-2-aminohex-5-yn-1-ol hydrochloride C ₆ H ₁₂ ClNO MW 149.62		500 mg 1 g

CX69091	(<i>R</i>)-homopropargylglycinol hydrochloride, >98% (<i>R</i>)-2-aminohex-5-yn-1-ol hydrochloride C ₆ H ₁₂ ClNO MW 149.62		500 mg 1 g
CX23053	(<i>S</i>)-bishomopropargylglycinol hydrochloride, >98% (<i>S</i>)-2-aminohept-6-yn-1-ol hydrochloride C ₇ H ₁₄ ClNO MW 163.65		500 mg 1 g
CX63523	(<i>R</i>)-bishomopropargylglycinol hydrochloride, >98% (<i>R</i>)-2-aminohept-6-yn-1-ol hydrochloride C ₇ H ₁₄ ClNO MW 163.65		500 mg 1 g
CX93851	(2 <i>S</i> ,5 <i>R</i>)-5-hydroxypipercolic acid hydrochloride, >98% (2 <i>S</i> ,5 <i>R</i>)-5-hydroxypiperidine-2-carboxylic acid hydrochloride C ₆ H ₁₂ ClNO ₃ MW 181.62		100 mg 500 mg 1 g
CX24022	(5 <i>S</i> ,6 <i>S</i>)-6-amino-5-hydroxycyclohexa-1,3-dienecarboxylic acid, >98% C ₇ H ₉ NO ₃ MW 155.15		500 mg 1 g








CEREULIDE & 13C6-CEREULIDE

Catalog No.	Description	Structure	Available Unit Sizes
CX20422	cereulide (50 µg/mL in acetonitrile), >95% cyclo[-Val-D-O-Leu-D-Ala-O-Val-]3 (50 µg/mL in acetonitrile) C ₅₇ H ₉₆ N ₆ O ₁₈ MW 1153.40		1 mL
CX55029	cereulide, >95% cyclo[-Val-D-O-Leu-D-Ala-O-Val-]3 C ₅₇ H ₉₆ N ₆ O ₁₈ MW 1153.40		2 mg 5 mg
CX87778	13C6-cereulide (20 µg/mL in acetonitrile), >95% cyclo[-Val-1-13C-D-O-Leu-D-Ala-3-13C-O-Val-]3 (20 µg/mL in acetonitrile) C ₅₁ 13C ₆ H ₉₆ N ₆ O ₁₈ MW 1159.36		1 mL







CX57163	13C6-cereulide, >95% cyclo[-Val-1-13C-D-O-Leu-D-Ala-3-13C-O-Val-]3 $C_{51}^{13}C_6H_{96}N_6O_{18}$ MW 1159.36		2 mg
----------------	--	--	------

STRIGOLACTONES & ANALOGUES

Catalog No.	Description	Structure	Available Unit Sizes
CX23880	<i>rac</i> -GR24, >98% (3a <i>R</i> *, 8b <i>S</i> *, <i>E</i>)-3-(((<i>R</i> *)-4-methyl-5-oxo-2,5-dihydrofuran-2-yloxy)methylene)-3,3a,4,8b-tetrahydro-2 <i>H</i> -indeno[1,2- <i>b</i>]furan-2-one C ₁₇ H ₁₄ O ₅ MW 298.29		5 mg 20 mg 100 mg
CX64382	(±)-strigol, >98% (3a <i>R</i> *, 5 <i>S</i> *, 8b <i>S</i> *, 2' <i>R</i> *)-3-[(<i>E</i>)-2',5'-dihydro-4'-methyl-5'-oxo-2'-furyloxymethylene]-5-hydroxy-8,8-dimethyl-3,3a,4,5,6,7,8,8b-octahydroindeno[1,2- <i>b</i>]furan-2-one C ₁₉ H ₂₂ O ₆ MW 346.37		1 mg 5 mg
CX96323	(±)-5-deoxystrigol, >97% (3a <i>R</i> *, 8b <i>S</i> *, <i>E</i>)-8,8-dimethyl-3-(((<i>R</i> *)-4-methyl-5-oxo-2,5-dihydrofuran-2-yl)oxy)methylene)-3,3a,4,5,6,7,8,8b-octahydro-2 <i>H</i> -indeno[1,2- <i>b</i>]furan-2-one C ₁₉ H ₂₂ O ₅ MW 330.37		1 mg 5 mg
CX23911	(±)-2'-epi-5-deoxystrigol, >97% (3a <i>R</i> *, 8b <i>S</i> *, <i>E</i>)-8,8-dimethyl-3-(((<i>S</i> *)-4-methyl-5-oxo-2,5-dihydrofuran-2-yl)oxy)methylene)-3,3a,4,5,6,7,8,8b-octahydro-2 <i>H</i> -indeno[1,2- <i>b</i>]furan-2-one C ₁₉ H ₂₂ O ₅ MW 330.37		1 mg 5 mg
CX93488	(±)-sorgolactone, >98% (3a <i>R</i> *, 8 <i>S</i> *, 8b <i>S</i> *, 2' <i>R</i> *)-3-[(<i>E</i>)-2',5'-dihydro-4'-methyl-5'-oxo-2'-furyloxymethylene]-8-methyl-3,3a,4,5,6,7,8,8b-octahydroindeno[1,2- <i>b</i>]furan-2-one C ₁₈ H ₂₀ O ₅ MW 316.35		1 mg 5 mg
CX50506	TIS108, >98% 6-phenoxy-1-phenyl-2-(1 <i>H</i> -1,2,4-triazol-1-yl)hexan-1-one C ₂₀ H ₂₁ N ₃ O ₂ MW 335.40		10 mg 50 mg 100 mg
CX52612	Abamine oxalic acid salt, >98% (<i>E</i>)-3-(3,4-dimethoxyphenyl)- <i>N</i> -(4-fluorobenzyl)- <i>N</i> -(2-methoxy-2-oxoethyl)prop-2-en-1-aminium carboxyformate C ₂₃ H ₂₆ FNO ₈ MW 463.45		10 mg 50 mg 100 mg

CX94224	Abamine SG oxalic acid salt, >98% (<i>E</i>)- <i>N</i> -(3-(3,4-dimethoxyphenyl)allyl)- <i>N</i> -(4-fluorobenzyl)-4-methoxy-4-oxobutan-1-aminium carboxyformate $C_{25}H_{30}FNO_8$ MW 491.51		10 mg 50 mg 100 mg
CX27716	KAR1, >98% 3-methyl-2 <i>H</i> -furo[2,3- <i>c</i>]pyran-2-one $C_8H_6O_3$ MW 150.13		5 mg 10 mg 25 mg
CX94877	KAR2, >98% 2 <i>H</i> -furo[2,3- <i>c</i>]pyran-2-one $C_7H_4O_3$ MW 136.11		5 mg 10 mg 25 mg
CX72515	4,5,5-trimethyldihydrofuran-2(3 <i>H</i>)-one, >98% $C_7H_{12}O_2$ MW 128.17		10 mg 25 mg 100 mg
CX95469	4-Br debranone, >98% 5-(4-bromophenoxy)-3-methylfuran-2(5 <i>H</i>)-one $C_{11}H_9BrO_3$ MW 269.09		10 mg 50 mg 100 mg
CX75854	4-CN debranone, >98% 5-(4-cyanophenoxy)-3-methylfuran-2(5 <i>H</i>)-one $C_{12}H_9NO_3$ MW 215.20		10 mg 50 mg 100 mg
CX88057	Nijmegen-1, >98% (<i>Z</i>)-methyl 2-(1,3-dioxoisindolin-2-yl)-3-((4-methyl-5-oxo-2,5-dihydrofuran-2-yl)oxy)acrylate $C_{17}H_{13}NO_7$ MW 343.29		10 mg 50 mg

MISCELLANEOUS

Catalog No.	Description	Structure	Available Unit Sizes
CX80499	RR6, >98% (<i>R</i>)-2,4-dihydroxy-3,3-dimethyl- <i>N</i> -(3-oxo-4-phenylbutyl)butanamide C ₁₆ H ₂₃ NO ₄ MW 293.36		25 mg 100 mg 500 mg
CX95981	2,2,2-trichloroethoxysulfonyl chloride, >98% 2,2,2-trichloroethyl sulfochloridate C ₂ H ₂ Cl ₄ O ₃ S MW 247.91		5 g 10 g 25 g
CX27597	2,3-dimethyl-1-(2,2,2-trichloroethoxysulfonyl)imidazolium triflate, >98% 2,3-dimethyl-1-((2,2,2-trichloroethoxy)sulfonyl)-1 <i>H</i> -imidazol-3-ium trifluoromethanesulfonate C ₈ H ₁₀ Cl ₃ F ₃ N ₂ O ₆ S ₂ MW 457.66		1 g 5 g
CX19922	(<i>S</i>)-β3-phenylalanine methyl ester hydrochloride, >98% (<i>S</i>)-methyl 3-amino-3-phenylpropanoate hydrochloride C ₁₀ H ₁₄ ClNO ₂ MW 215.68		1 g 2 g 5 g
CX56292	(3 <i>R</i> ,4 <i>R</i>)-3,4-dihydroxycyclohexa-1,5-diene-1-carboxylic acid, >97% C ₇ H ₈ O ₄ MW 156.14		500 mg 1 g
CX65527	6-methylcyclohex-1-enecarboxylic acid, >98% C ₈ H ₁₂ O ₂ MW 140.18		1 g 5 g 10 g

ORDERS AND INQUIRIES

Ordering information

Orders can be placed by fax, or e-mail:

Fax: +31 24 372 3305

E-mail: info@chiralix.com

Please include the following information to ensure correct and prompt delivery:

Complete "Bill to" address, including an e-mail address for receiving invoices in PDF format

Complete "Ship to" address

Contact person, including phone No.

VAT No. (required for EU customers)

Purchase Order No. (if available)

Catalog No., description of the ordered product, ordered amount

Shipping

Chiralix uses FedEx International Priority for all shipments.

Shipping costs are pre-paid and added to the invoice as separate items.

Alternatively, a client-specified FedEx or DHL account can be used for shipping.

Clients are responsible for any applicable duties and taxes as required by their customs agency.

Payment

Payments have to be made by bank transfer.

Payments by credit card cannot be accepted.

The term of payment is 30 days net.